

Texas Tech Physicians. Texas Tech University Health Sciences Center El Paso **Ambulatory Clinic Procedure**

Procedure: Do Not Use Abbreviation List	Procedure #: EP 5.7A	
Effective Date:	Last Revision Date: June 2024	
References: EP 5.7, Medical Record Abbreviations		
TTUHSC El Paso Ambulatory Clinic Policies and Procedures Website:		
https://ttuhscep.edu/opp/default.aspx		

Abbreviation	Incorrect Example	Correct Example
1) U (unit) Do not use "U" for unit as it ca	Insulin 5 u n be mistaken for a "0"	Insulin 5 units
2) IU (international unit) Do not use "IU" for internation	vitamin E 400 IU al unit as it can be mistaken for "IV" o	vitamin E 400 or "10"
3) Q.D. (everyday) Do not use "qd" for everyday as	qd s it can be mistaken for "qid" or "qod"	daily
4) Q.O.D. Do not use "qod" for every other	qod er day as it can be mistaken for "qid"	every other day
5) Trailing Zeros Do not use a trailing zero after to	warfarin 1.0 mg the decimal point as the decimal point n	warfarin 1 mg nay be missed
6) Leading Zeros Use a leading zero before the de	hydromorphone .5 mg ecimal point as the decimal point may b	
7) MS Do not use "MS" for morphine	MS 1 mg sulfate as it can be mistaken for magne	morphine 1 mg
8) MSO ₄ Do not use "MSO ₄ " for magnes	MSO4 1 mg ium sulfate as it can be mistaken for m	magnesium sulfate 1 mg orphine sulfate
9) MgSO ₄	MgSO ₄ 2 g	magnesium sulfate 2 g

Exception: A "trailing zero" may be used only where required to demonstrate the level of precision of the value being reported, such as for laboratory results, imaging studies that report size of lesions, or catheter/tube sizes. It may not be used in medications orders or other medication-related documentation.

Do not use "MgSO4" for magnesium sulfate as it can be mistaken for morphine sulfate