

El Paso - Ambulatory Clinic Policy and Procedure

Title: LATEX ALLERGY PROTOCOL, KNOWN OR SUSPECTED	Policy Number: EP 3.17
Regulation CDC, NIOSH Reference:	Effective Date: 11/2013

Policy Statement:

It shall be the policy of Texas Tech University Health Sciences Center at El Paso (TTUHSC at El Paso) Ambulatory Clinics to establish a safe and effective protocol for patients with known or suspected Latex allergies.

Scope and Distribution:

This policy applies and will be distributed to all TTUHSC at El Paso clinics.

Procedure:

- 1. Patient Care
 - a. When possible, latex allergy precautions will be used with all patient populations diagnosed with Myelodysplasia and Neurogenic bladder dysfunction and/or suspected Latex hypersensitivity.
 - b. All Healthcare personnel who have contact with these patients should wear non-latex gloves.
 - c. High-risk patients should be scheduled as the first appointment of the day (to minimize exposure to airborne latex particular matter).
 - d. A latex allergy cart may be set up to contain the following latex-free items:
 - 1) Gloves sterile and non-sterile (in an assortment of sizes)
 - 2) Tape silk and transparent
 - 3) Webril and Stockinett for use under blood pressure cuffs, to wrap blood pressure cuffs and stethoscope tubing, etc.
- List of Latex and Latex Free Products. A listing of products that contain Latex and products that are Latex free in the healthcare environment can be found at: <u>http://www.spinabifidaassociation.org/atf/cf/%7BEED435C8-F1A0-4A16-B4D8-A713BBCD9CE4%7D/LatexList09.pdf</u>

*Note: This list is NOT all-inclusive. It is very difficult to obtain full and accurate information on the latex content of products. Amounts vary between companies and product series. (Meeropol, Leger, & Frost, 1993).

Policy Number:	EP 3.17	Original Approval Date: 11/2013
Version Number:	1	Revision Date:
Signatory approval on file by: Michael J. Romano, M.D. Associate Dean of Clinical Affairs Clinic Operations Committee Chair Texas Tech University Health Sciences Center at El Paso		